•			
	Application No.	Applicant(s)	
	10/786,353	ROOHPARVAR, FRANKIE F	
Notice of Allowability	Examiner	Art Unit	
	B. James Peikari	2186	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the telephone conversation with atty Andrew Walseth on December 8, 2004.			
2. The allowed claim(s) is/are <u>1-4,6,8-17,19 and 21-24</u> .	·		
3. The drawings filed on are accepted by the Examine	r.		
 4.			
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2/25/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	e	

Application/Control Number: 10/786,353

Art Unit: 2186

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Replace the title with, "SYNCHRONOUS FLASH MEMORY EMULATING
 THE PIN CONFIGURATION OF SDRAM".

Authorization for the following examiner's amendment was given in a telephone interview with Andrew Walseth (#43,234) on December 8, 2004:

- Please enter the attached amendments.
- 2. The following changes to the drawings are required. The drawings should be corrected to comply with 37 CFR 1.84(u)(1). For example "FIG. 1A" should replace "Fig. 1A". In order to avoid abandonment of the application, applicant must make these drawing changes.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Peikari whose telephone number is (571) 272-

Page 2

Application/Control Number: 10/786,353

Art Unit: 2186

4185. The examiner is generally available between 7:00 am and 7:30 pm, EST, Monday through Wednesday, and between 5:30 am and 4:00 pm on Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Kim, can be reached at (571) 272-4182.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Tech Center 2100 central hotline at (571) 272-2100.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 746-7239 (Official communications)

or:

(703) 746-7240 (for Informal or Draft communications)

or:

(703) 746-7238 (for After-Final communications)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

B. James Peikari Primary Examiner Art Unit 2186

12/12/04